


Response under 37 C.F.R. 1.11
- Expedited Examining Procedure -
Examining Group 1774



BOX AF
Docket 78137RLO

Customer No. 01333

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Gustavo R. Paz-Pujalt, et al

RECEIVER HAVING HYDROPHILIC
RECEIVING SURFACE

Serial No. US 09/131,710

Filed 10 August 1998

Group Art Unit: 1774

Examiner: M. Grendzynski

I hereby certify that this correspondence is being
deposited today with the United States Postal
Service as first class mail in an envelope addressed
to Commissioner for Patents, Washington, D.C. 20231.

Paula West
Paula West

Date 3-1-01

RECEIVED
MAR - 8 2001
TECHNOLOGY CENTER 1700

Commissioner for Patents
Washington, D.C. 20231

Transmitted herewith is an amendment in the above-identified application:

- ☒ No additional fee is required.
☐ The fee has been calculated as shown below:

	(Col. 1)		(Col. 2)	(Col. 3)	OTHER THAN A SMALL ENTITY	
	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDITIONAL FEE
TOTAL	2	MINUS	20	0	X 18	\$ 0
INDEP	2	MINUS	3	0	X 80	\$ 0
FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM					+ 270	\$ 0
TOTAL						\$ 0

* The "Highest Number Previously Paid For" (Total or Independent) is the highest number found from the equivalent box in Col. 1 of a prior amendment or the number of claims originally filed.

☐ Please charge my Eastman Kodak Company Deposit Account No. 05-0225 in the amount of \$ 0.
A duplicate copy of this sheet is enclosed


☒ The Commissioner is hereby authorized to charge payment of
the following fees associated with this communication or credit any overpayment to Eastman Kodak
Company Deposit Account No. 05-0225
A duplicate copy of this sheet is enclosed

☒ Any additional filing fees required under 37 CFR 1.16.

☒ Any patent application processing fees under 37 CFR 1.17.
(For Extensions of Time and other Petitions to the Assistant Commissioner)

Raymond L. Owens/phw
Telephone: (716) 477-4653
Facsimile: (716) 477-4646

Raymond L. Owens
Attorney for Applicants
Registration No. 22,363



Response under 37 C.F.R. 1.116
- Expedited Examining Procedure -
Examining Group 1774

#12
3-8-81
Dor
BOX AF
78137RLO

Customer No. 01333

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Gustavo R. Paz-Pujalt, et al

RECEIVER HAVING HYDROPHILIC
RECEIVING SURFACE

Serial No. US 09/131,710

Filed 10 August 1998

Group Art Unit: 1774

Examiner: M. Grendzynski

I hereby certify that this correspondence is being deposited today with the
United States Postal Service as first class mail in an envelope addressed to
Commissioner for Patents, Washington, D.C. 20231.

Paula West
Paula West

3-1-01
Date

Commissioner for Patents
Washington, D.C. 20231

Sir:

AMENDMENT AFTER FINAL

In response to the office action mailed January 19, 2001, in
connection with the above-referenced application, please find the following
remarks:

RECEIVED
MAR - 8 2001
TECHNOLOGY CENTER 1700

REMARKS

Reconsideration and allowance are respectfully requested in
view of the following remarks. The office action of January 19, 2001 rejects
claims 1 and 2. However, the rejection is based on an interpretation of the
claims that is clearly erroneous. The rejection states, "Applicants argue that,
with respect to the Bodager article, there is only a single image recorded within
the article, and that the receivers of the present invention contains two images.
Applicants, however, are not claiming an article wherein both layers are, in fact,
printed."

The rejection is clearly erroneous because it ignores the two
image limitations recited in the claims. It is correct that Applicants argued that